		_	_	Ξ	
1		7)	
7	_	-			
1	Ы			,	
-	_	_			

a-103496

		to respond to a collection of information unless it displays a valid OMB control number				
	UTILITY O	Attorney Docket No. 16356.548 (DC-02456)				
I	PATENT APPLICATION TRANSMITTAL	First Named Inventor or Application Identifier Douglas G. Macnair, Jr. et al.				
1	Tomv for new nonprovisional applications under 37 CFR 1 53(b))	Express Mail Label No				
	APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application content	Commissioner for Patents Box Patent Application Washington, DC 20231				
	 Fee Transmittal Form (Submt an original, and a duplicate for fee processing) Specification [Total Pages 19] (preferred arrangement set forth below) - Descriptive title of the Invention - Cross References to Related Applications - Statement Regarding Fed sponsored R & - Reference to Microfiche Appendix - Background of the Invention - Brief Summary of the Invention - Brief Description of the Drawings (if filed Description) - Claim(s) 	D c. Statement verifying identity of above copies				
ı	- Abstract of the Disclosure 3. ☐ Drawing(s) (35 USC 113) [Total Sheets 5]	ACCOMPANYING APPLICATION PARTS				
	 4. Oath or Declaration [Total Pages 3 a. Newly executed (original or copy) b. Copy from a prior application (37 CFI 1.63(d)) (for continuation/divissional with Box 17 completed) [Note Box 5 below] i. DELETION OF INVENTOR(S) Signed statement attached deletin Inventor(s) named in the prior application, see 37 CFR 1.63(d) and 1.33 (b). 5. Incorporation By Reference (usable if Box 4b is check The entire disclosure of the prior application, from which a copy of the oath or declaration i supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein. 17. If a CONTINUING APPLICATION, check application is a possible to the continuation of the disclosure of the accompanying application and is hereby incorporated by reference therein. 	8. Assignment Papers (cover sheet & document(s)) 9. 37 CFR 3.73(b) Statement Power of Attorney (when there is an assignee) 10. English Translation Document (if applicable) 11. Information Disclosure Copies of IDS Statement (IDS)/PTO-1449 Citations 12. Preliminary Amendment 13. Return Receipt Postcard (MPEM 503) (Should be specifically itemized) 14. Small Entity Statement filed in prior application Statement(s) Status still proper and desired 15. Certified Copy of Priority Document(s) (if foreign Priority is claimed) 16. Other: Express Mail Certificate propriate box and supply the requisite information: utinuation-in-part (CIP) of prior application No:, filed:				
۱	prior apprication information.					
	18. CORRE	SPONDENCE ADDRESS				
	Customer Number or Bar Code Label	or ⊠ Correspondence address below				
	NAME David L. McCombs Haynes and Boone, LLP					
	ADDRESS 901 Main Street Suite 3100					
I	CITY Dallas	STATE TX ZIP CODE 75202				
l		TELEPHONE 214-651-5533 FAX 214-651-5940				
	Name James R. Bell (print/type)	Registration No. (Attorney/Agent) 26,528				
	Signature Sall de	Date 9-22-00				

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FEE TRANSMITTAL for FY 2000

Patent fees are subject to annual revision
Small Entity payments must be supported by a small entity statement,
otherwise large entity fees must be paid. See Forms PTO/SB/09-12
See 37 C F R §§ 1 27 and 1 28

Application Number N/A

Filing Date Herewith

First Named Inventor Douglas G. Macnair et al

Group Art Unit Unknown

Examiner Name Unknown

Attorney Docket Number 16356.548 (DC-02456)

TOTAL AMOUNT OF PAYMENT

(\$) 730.00

METHOD OF PAYMENT (check one)							OLATION (continued)	
1. The Commissioner is hereby authorized to charge indicated				. A	DDITI(Small	ONAL F Entity	EES	
fees and cr Deposit Account Number	edit and over 08-1.		Large Fee Code	Fee (S)	Fee Code	Fee (S)	Fee Description	Fec Paid
Deposit Account Name		es and Boone	105	130	205	65	Surcharge - late filing fee or oath	
Charge Any Addit		Charge the Issue Fee in	127	50	227	25	Surcharge – late provisional filing fee or cover sheet	
Fee Required Unde 37 CFR 1 16 and 1		37 CFR 1 18 at the Mailing of the Notice of Allowance						
2. Payment Enc		of the Notice of Attowance	139	130	139	130	Non-English specification	
☑ Check	□ M	oney Order Other						
FEE CALCULATION				2520	147	2520	For filing a request for reexamination	
 FILING FEE 			112	920*	112	920*	Requesting publication of SIR prior to Examiner action	
Large Entity Small Fee Fee Fee	Entity Fee	Fee Description Fee Paid	113	1840*	113	1840*	Request publication of SIR after Examiner action	
Code (\$) Code 101 690 201	(\$) 345	Utility filing fee 690	115	110	215	55	Extension for reply within first month	
106 310 206	155	Design filing fee	116	380	216	190	Extension for reply within second month	
107 480 207	240	Plant filing fee	117	870	217	435	Extension for reply within third month	
108 690 208	345	Reissue filing fee	118	1360	218	680	Extension for reply within fourth month	
114 150 214	75	Provisional filing fee	128	1850	228	925	Extension for reply within fifth month	
			119	300	219	150	Notice of Appeal	
SUBTO	TAL (1)	(\$) 690.00	120	300	220	150	Filing a Brief in support of an appeal	
2. CLAIMS	Extra Fe		121	260	221	130	Request for oral hearing	
Total Claims 19 -20	= 0 x	18 = 0.00	138	1510	138	1510	Petition to institute a public use proceeding	
Independent 3 -3	0 x	78 = 0.00	140	110	240	55	Petition to revive - unavoidable	
Multiple Dependent Claims	0 x	260 = 0.00	141	1210	241	605	Petition to revive- unintentional	
			142	1210	242	605	Utility issue fee (or reissue)	
Large Entity Small Fee Fee Fee	Entity Fee	Fee Description	143	430	243	215	Design issue fee	
Code (\$) Code 103 18 303	(\$) 9	Claims in excess of 20	144	580	244	290	Plant issue fee	
102 78 202	39	Independent claims in excess of 3	122	130	122	130	Petitions to the Commissioner	
104 260 204	130	Multiple dependent claim	123	50	123	50	Petitions related to provisional applications	
109 78 209	39	Reissue independent claims over original patent	126	240	126	240	Submission of Information Disclosure Statement	
110 18 210	9	Reissue claims in excess of 20 and over original patent	581	40	581	40	Recording each patent assignment per property (times number of properties)	40 00
İ		<i>5</i> .	146	690	246	345	Filing a submission after final rejection (37 CFR 1 129(a))	
SUBTOTAL (2) (S) 0.00				690	249	345	For each additional invention to be examined (37 CFR 1 129(b))	
			Other	fee (specif	y)			
				fee (specif				
1								
1			* Red	uced by Ba	sic Filing I	ee Paid	SUBTOTAL (3) (\$) 40	0.00

SUBMITTED BY		Complete (if applicable)			
Typed or Printed Name	James R. Bell		-	Reg. No.	26,528
Signature	To the	Date	9-22-00	Deposit Account User ID	08-1394

WARNING:

Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement This form is estimated to take 0.2 hours to complete Time will vary depending upon the needs of the individual case. Any comments on the amount of Time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO Commissioner for Patents, Box Patent Application, Washington, DC 20231 A 101405

EXPRESS MAIL NO.: <i>EE 308375563</i>	US DATE OF DEPOSIT: 9/22/00
	with the U.S. Postal Service Express Mail Post Office to on the date indicated above and is addressed to: Box for Patents, Washington, D.C. 20231
Name of person mailing paper and fee	Signature of person mailing paper and fee

INSTANT INTEGRATION MODEL

Inventors: Douglas G. Macnair Jr.

16802 Bailey Jean Drive Round Rock, Texas 78681

Rory K. O'Loughlin 12218 Scribe Drive Austin, Texas 78759

Gaston M. Barajas 5700 Republic of Texas Austin, Texas 78735

Assignee:

 $Dell\ Products\ L.P.$

One Dell Way

Round Rock, Texas 78682-2244

David L. McCombs HAYNES AND BOONE, L.L.P. 901 Main Street Suite 3100 Dallas, Texas 752023789 (214) 651-5533

10

15

20

Docket No.: DC-02456 (16356.548)

EXPRESS MAIL NO .: FF 308375563US DATE OF DEPOSIT: 9/22/00

This paper and fee are being deposited with the U.S. Postal Service Express Mail Post Office to Addressee service under 37 CFR §1.10 on the date indicated above and is addressed to: Box PATENT APPLICATION, Commissioner for Patents, Washington, D.C. 20231

ATENTAL FLOATION, COMMISSIONER FOR Tatents, Washington, E

Name of person mailing paper and fee

Signature of person mailing paper and fee

INSTANT INTEGRATION MODEL

Background

The disclosures herein relate generally to providing build-to-order computer systems and more particularly to installing software programs in a build-to-order computer system.

This application relates to co-pending United States Patent Application Serial No. 09/467,706, filed on December 20, 1999, entitled "Apparatus and Method for Configuring Computers", naming Pat Condon, Mike Finucane, Maurice Hayes, Patrick O'Grady, Paul Reid, David Speight, and John White as inventors.

This application relates to co-pending United States Patent Application Serial No. 09/333,786, filed on June 15, 1999, entitled "Method and Apparatus for Testing Custom-Configured Software/Hardware Integration in a Computer Build-to-Order Manufacturing Process", naming Thomas Vrhel Jr., Gaston M. Barajas, Paul J. Maia, and W.D. Todd Nix as inventors.

This application relates to United States Patent No. 5,894,571, filed on April 13, 1999, entitled "Process for Configuring Software in a Build-to-Order Computer System", naming Clint H. O'Conner as inventor.

The patent and co-pending applications are incorporated by reference in their entirety, and are assigned to the assignee of this application.

2.0

25

As part of a build-to-order model for manufacturing computer systems, a customer selects an operating system and other programs to be included in a build-to-order computer system when the customer places an order. The manufacturer assembles the system and installs the software specified by the customer onto the system. The process of installing the software can be a time-consuming process for the manufacturer. It would be desirable to reduce the amount of time it takes to install software specified by a customer in a build-to-order computer system.

Therefore, what is needed is a system and method to allow a manufacturer to more efficiently install software in a computer system.

Summary

One embodiment, accordingly, provides a method that includes receiving a storage device that includes an image. The image is loaded onto the storage device by a vendor of the storage device and includes a first program and a second program. The second program is removed from the image on the storage device in response to comparing an order list to an image list. The first program is integrated into an operating system on the storage device.

A principal advantage of this embodiment is that it allows a manufacturer to more efficiently install software in a build-to-order computer system. The software installation process can be performed using two mutually exclusive phases. These phases provide a manufacturer with flexibility in installing software and allow a manufacturer to more efficiently provide a build-to-order computer system.

10

15

20

25

Brief Description of the Drawings

Fig. 1a is a diagram illustrating a first embodiment of a storage device coupled to a computer system.

Fig. 1b is a diagram illustrating a second embodiment of a storage device coupled to a computer system.

Fig. 2a is a diagram illustrating a first example of contents of a storage device.

Fig. 2b is a diagram illustrating a second example of contents of a storage device.

Fig. 2c is a diagram illustrating a third example of contents of a storage device.

Fig. 2d is a diagram illustrating a fourth example of contents of a storage device.

Fig. 3 is a flowchart illustrating an embodiment of a method for installing programs onto a build-to-order computer system.

Fig. 4 is a flowchart illustrating an embodiment of a method for installing programs onto a build-to-order computer system.

Fig. 5a is a flowchart illustrating an embodiment of a method for performing a first phase of installing programs onto a storage device.

Fig. 5b is a flowchart illustrating an embodiment of a method for performing a second phase of installing programs onto a storage device.

Detailed Description

Fig. 1a is a diagram illustrating an embodiment of a storage device 100 coupled to a computer system 110. Computer system 110 includes a processor 114 coupled to a memory 112. Memory 112 includes image 102, image list 126, process 118, program 122a, program 122b, and order information 124. Storage device 100 is coupled to computer system 110 using a connection 116. Connection

15

20

25

116 may be any suitable component, device, or system for operatively coupling computer system 110 and storage device 100 such as a cable, a local area network, a global communications network such as the Internet, or a wireless communications system. In one embodiment, storage device 100 is included in a build-to-order computer system 120. In this embodiment, build-to-order computer system 120 is coupled to computer system 110 via connection 116. In an alternative embodiment, storage device 100 is directly coupled to computer system 110 via connection 116. In this alternative embodiment, storage device 100 is eventually installed in build-to-order computer system 120. Computer system 110 and build-to-order computer system 120 are each configured to receive inputs from and provide outputs to a user 130 as indicated by arrows 132 and 134, respectively.

In the embodiment of Fig. 1a, storage device 100 may be any suitable device or devices configured to store one or more programs such as a hard disk drive or another type of magnetic storage device, a redundant array of inexpensive drives (RAID) system, or an optical storage device.

The process of installing software onto storage device 100 for use in build-to-order computer system 120 is divided into two mutually exclusive phases. The first phase, the copy phase, involves copying the contents of a program directly into one or more directories. The second phase, the integration phase, involves integrating the program into an operating system. Fig. 1a illustrates an embodiment configured to implement these two phases.

In Fig. 1a, image 102 is included in memory 112. Image 102 includes an operating system and one or more programs. Image 102 is created using the copy phase of installing software. The operating system and the programs are copied into image 102 such that the contents of the operating system and the programs are stored directly into a directory structure without the need of a temporary directory. The operating system and programs are in image 102, however, in a

10

15

20

25

pre-integrated state. In particular, the programs have not been integrated into the operating system in image 102 and the operating system has not performed its initial boot and plug-n-play detection. The copy phase also creates image list 126. Image list 126 includes a list that indicates the operating system and the programs included in image 102. Image 102 and image 126 may be created by computer system 110 or may be created on a separated computer system and copied to computer system 110.

Image 102 is copied onto storage device 100 over connection 116 by process 118 as shown by image 102 being included in storage device 100. In one particular embodiment, image 102 may be copied onto storage device 100 by a vendor of the storage device prior to storage device 100 being received by a computer manufacturer. Subsequent to image 102 being copied onto storage device 100, the integration phase may be performed to integrate the programs in image 102 into the operating system. In a build-to-order manufacturing model, however, a customer may specify a set of programs to be included that differs from the set of programs included in image 102. Accordingly, before the integration phase is performed, programs may be removed from image 102 on storage device 100 and / or added to storage device 100.

The set of programs desired by a customer is included in order information 124 and may be stored in order information 124 as an order list. The order list is compared to image list 126. If the order list and image list 126 list an identical set of programs, then no programs need to be added and no programs need to be removed from storage device 100 to create the customer's build-to-order computer system 120. If the order list and image list 126 do not list an identical set of programs, then either one or more programs need to be added or one or more programs need to be removed from storage device 100 to create the customer's build-to-order computer system 120. In this case, the integration phase is

10

15

20

25

performed after removing any programs from image 102 on storage device 100 and loading any additional programs onto storage device 100.

Where a customer's order does not include a program or programs included in image 102, that program or programs are removed from image 102 on storage device 100. A shaded region 138 within image 102 on storage device 100 illustrates this possibility. Shaded region 138 represents a program that is deleted from image 102 on storage device 100 by process 118. In one particular embodiment, the program is removed by removing its associated file allocation entry in a file allocation table in a Windows operating system such as Windows 2000, Windows NT, Windows 98, and Windows 95. In addition, an entry associated with the program in an integration list is removed. The integration list is used by the integration phase to cause programs to be integrated into an operating system. The programs remaining in image 102 on storage device 100 may be compacted as illustrated in Figs. 2b and 2c, as discussed below. It may be noted that a program may be safely removed from image 102 because the program has not yet been integrated into the operating system.

Where a customer's order includes a program or programs that are not included in image 102, that program or programs are loaded onto storage device 100. A shaded region 122a on storage device 100 illustrates this possibility. Computer system 110 includes program 122a and program 122b. In the example shown in Fig. 1a, a customer's order includes program 122a. Accordingly, process 118 causes program 122a to be loaded onto storage device 100 as indicated by shaded region 122a. In addition, an entry associated with the program is added to an integration list to cause the program to be integrated into an operating system during the integration phase. Although not loaded onto storage device 100 in this example, program 122b is shown in Fig. 1a to illustrate that other programs may be stored on computer system 110 and may be caused to be loaded onto storage device 100 by process 118.

10

15

20

25

Figs. 2a, 2b, 2c, and 2d are diagrams illustrating examples of contents of a storage device at various times in the process of installing software. These Figs. illustrate another example of the process just described. As shown in Fig. 2a, contents 200 of a storage device includes an operating system 210, a driver 220a, a driver 220b, a driver 220c, an application 230a, an application 230b, and an application 230c. These programs comprise an image as described above. The storage device also includes unused space 240. As seen in Fig. 2a, the image has been loaded onto the storage device.

A customer order may not include application 230b. Accordingly, application 230b is removed as indicated by the shaded portion in contents 202 of Fig. 2b. Once removed, the shaded region includes unused space on the storage device. This unused space may be compacted to result in contents 204 shown in Fig. 2c. As may be seen, the contents of application 230c have been moved to occupy at least a portion the memory space formerly occupied by application 230b.

A customer order may also include an application 230d that is not included in the image shown in Fig. 2a. Accordingly, application 230d is loaded onto the storage device to result in contents 206 shown in Fig. 2d. The contents of application 230d are copied directly into one or more directories on the storage device.

Referring back to Fig. 1a, the programs on storage device 100 are integrated into the operating system during an integration phase subsequent to any programs being removed from image 102 on storage device 100 and added to storage device 100. The operating system on storage device 100 is booted. The operating system may perform a plug-n-play detection to detect devices on build-to-order computer system 120. The operating system may cause one or more drivers to be integrated for each device it detects. The integration list is then used to cause each program to be integrated into the operating system. The tasks performed to integrate a program into an operating system during the integration

15

20

25

shase may differ for different operating systems. In a Windows one

phase may differ for different operating systems. In a Windows operating system such as Windows 2000, Windows NT, Windows 98, and Windows 95, for example, a program may be integrated by storing registry, desktop, and start menu information associated with the program into designated areas on storage device 100. In other operating systems, other information may be created, modified, or stored as required by an operating system.

Subsequent to the integration phase being completed, verification tests are performed on build-to-order computer system 120, and system 120 is resealed and sent to the customer.

Fig. 1b is a diagram illustrating a second embodiment of a storage device 100 coupled to a computer system 110. Computer system 110 includes a processor 114 coupled to a memory 112. Memory 112 includes process 148, program 122a, program 122b, program 122c, operating system 142, and order information 124. Storage device is coupled to computer system 110 using a connection 116. Connection 116 may be any suitable component, device, or system for operatively coupling computer system 110 and storage device 100 such as a cable, a local area network, a global communications network such as the Internet, or a wireless communications system. In one embodiment, storage device 100 is included in a build-to-order computer system 120. In this embodiment, build-to-order computer system 120 is coupled to computer system 110 via connection 116. In an alternative embodiment, storage device 100 is directly coupled to computer system 110 via connection 116. In this alternative embodiment, storage device 100 is eventually installed in build-to-order computer system 120. Computer system 110 and build-to-order computer system 120 are each configured to receive inputs from and provide outputs to a user 130 as indicated by arrows 132 and 134, respectively.

In the embodiment of Fig. 1b, storage device 100 may be any suitable device or devices configured to store one or more programs such as a hard disk drive or

10

15

20

25

another type of magnetic storage device, a redundant array of inexpensive drives (RAID) system, or an optical storage device.

As in Fig. 1a, the process of installing software onto storage device 100 for use in build-to-order computer system 120 described in Fig. 1b is divided into two mutually exclusive phases—a copy phase and an enumeration phase. Instead of using image 102 to copy an operating system and a set of programs in bulk as in Fig. 1a, an operating system and a set of programs are layered onto storage device 100 in a pre-integrated state in Fig. 1b.

Operating system 142 and one or more of programs 122a, 122b, and 122c are copied onto storage device 100 over connection 116 by process 148 as shown by operating system 142 and programs 122a and 122c being included in storage device 100. In one particular embodiment, operating system 142 and one or more of programs 122a, 122b, and 122c may be copied onto storage device 100 by a vendor of the storage device prior to storage device 100 being received by a computer manufacturer. Subsequent to this copy phase, an integration phase may be performed to integrate the programs on storage device 100 into operating system 142.

In a build-to-order manufacturing model, a customer specifies the set of programs to be included in build-to-order computer system 120. The set of programs desired by a customer is included in order information 124 and may be stored in order information 124 as an order list. The order list is used to select the programs 122a, 122b, and /or 122c to be loaded onto build-to-order computer system 120. In the example shown in Fig. 1b, operating system 142 and programs 122a and 122c have been selected by the customer and loaded onto storage device 100. Programs 122a and 122c are each loaded onto storage device 100 by copying their contents directly into one or more directories on storage device 100 without the need to copy the contents into a temporary directory. In addition, an entry associated with each program is added to an integration list to cause the program

10

20

25

to be integrated into an operating system during the integration phase. Although not loaded onto storage device 100 in this example, program 122b is shown in Fig. 1b to illustrate that other programs may be stored on computer system 110 and may be caused to be loaded onto storage device 100 by process 148.

The programs on storage device 100 are integrated into the operating system during an integration phase subsequent to the copy phase. The operating system on storage device 100 is booted. The operating system may perform a plug-n-play detection to detect devices on build-to-order computer system 120. The operating system may cause one or more drivers to be integrated for each device it detects. The integration list is then used to cause each program to be integrated into the operating system. The tasks performed to integrate a program into an operating system during the integration phase may differ for different operating systems. In a Windows operating system such as Windows 2000, Windows NT, Windows 98, and Windows 95, for example, a program may be integrated by storing registry, desktop, and start menu information associated with the program into designated areas on storage device 100. In other operating systems, other information may be created, modified, or stored as required by an operating system.

Subsequent to the integration phase being completed, verification tests are performed on build-to-order computer system 120, and system 120 is resealed and sent to the customer.

Fig. 3 is a flowchart illustrating an embodiment of a method for installing programs onto a build-to-order computer system. In Fig. 3, an image is loaded onto a storage device as indicated in step 302. An image list associated with the image is compared to an order list as indicated in step 304. The order list may be generated from order information provided by a customer for a build-to-order computer system. The order list contains a list of programs that should be included in the build-to-order computer system. The image list includes a list of

10

20

25

at least some of the programs that are included in the image. A determination is made as to whether the image list and the order list are identical as indicated in step 306. The image list and the order list are identical if neither list includes a program that the other does not include. If the image list and the order list are identical, then no additional programs need to be added and no programs need to be deleted from the image. Each program is integrated into an operating system of the storage device as indicated in step 308.

If the image list and the order list are not identical, then a determination is made as to whether one or more programs need to be removed from the image on the storage device as indicated in step 310. If one or more programs need to be removed from the image on the storage device, then the program or programs are deleted from the image on the storage device as indicated in step 312. The remaining image on the storage device is compacted as indicated in step 314. Certain embodiments may omit step 314. If there is no program to be removed from the image on the storage device, then steps 312 and 314 are omitted as indicated.

A determination is made as to whether one or more programs are to be added as indicated in step 316. If one or more programs are to be added, then the programs are added to the storage device as indicated in step 318. If there is no program to be added, then step 318 is omitted as indicated. Each program, including the programs remaining in the image and those added, is integrated into an operating system of the storage device as indicated in step 308.

Fig. 4 is a flowchart illustrating an embodiment of a method for installing programs onto a build-to-order computer system. One or more programs are preoptimized as indicated in step 404. A program is preoptimized by identifying one or more directories where the contents of the program are to be copied in response to the program being loaded onto a storage device. The contents of a

25

10

preoptimized program, such as program files, may be copied directly into these directories without the need for copying the contents into a temporary directory.

An operating system is loaded onto a storage device as indicated in step 406. The preoptimized programs that are to be loaded onto the storage device are identified using an order list as indicated in step 408. The order list is generated from order information provided by a customer for a build-to-order computer system. The order list contains a list of programs that should be included in the build-to-order computer system. A preoptimized program is loaded onto the storage device as indicated in step 410. The preoptimized program is loaded by copying its contents directly into one or more directories on the storage device. Certain of these one or more directories may be created on the storage device as part of loading the preoptimized program onto the storage device. A determination is made as to whether there is an additional preoptimized program to load as indicated in step 412. If there is an additional preoptimized program to be loaded, then step 410 and step 412 are repeated. If there are no additional preoptimized programs to be loaded, then each preoptimized program on the storage device is integrated into the operating system as indicated in step 414.

Fig. 5a is a flowchart illustrating an embodiment of a method for performing a first phase of installing programs onto a storage device. A setup process for a copy phase is invoked as indicated in step 502. The setup process is configured to determine one or more directories on a storage device where the contents of a program are to be copied. A final file and directory structure is created as indicated in step 504. The final file and directory structure are created by copying the contents of a program directly into the one or more directories identified by the setup process without the need to copy the contents into a temporary directory.

Fig. 5b is a flowchart illustrating an embodiment of a method for performing a second phase of installing programs onto a storage device. A setup

10

20

25

Docket No.: DC-02456 (16356.548)

process for an integration phase is invoked as indicated in step 512. The setup process is configured to cause a program to be integrated into an operating system. A program is integrated into an operating system as indicated in step 514. Integrating an application into an operating system may include creating a registry entry, a desktop item, and a start menu item, depending on the operating system.

The phases described in Figs. 5a and 5b may be made entirely independent of one another by using switches to cause the phases to be separately performed. For multi-lingual installations, a switch may be added to support language grouping and force a given language for the installation. Once the file structure is captured for a given language of a program, the contents of the program can be loaded onto a storage device free of any file fragmentation and in a "ready to integrate" into the operating system state. The copy phase may also produce a file list or manifest that contains a complete listing of the file and directory structure created for a program.

As can be seen, the principal advantages of these embodiments are that they allow a manufacturer to more efficiently install software in a build-to-order computer system. The software installation process can be performed using two mutually exclusive phases. These phases provide a manufacturer with flexibility in installing software and allow a manufacturer to more efficiently provide a build-to-order computer system. The phases also allow a manufacturer to closely tailor the software installation process to the rigors of a build-to-order model.

Although illustrative embodiments have been shown and described, a wide range of modification, change and substitution is contemplated in the foregoing disclosure and in some instances, some features of the embodiments may be employed without a corresponding use of other features. Accordingly, it is appropriate that the appended claims be construed broadly and in a manner consistent with the scope of the embodiments disclosed herein.

3

4

5

6

9

1

2

3

Docket No.: DC-02456 (16356.548)

Claims

What is claimed is:

1 1. A method comprising

receiving a storage device that includes an image, the image being loaded onto the storage device by a vendor of the storage device, the image including a first program and a second program;

removing the second program from the image on the storage device in response to comparing a first list associated with an order to a second list associated with the image; and

integrating the first program into an operating system on the storage device.

- The method of claim 1, further comprising: 2.
 - receiving the storage device that includes the image, the image including the operating system.
- The method of claim 2, further comprising: 3. 1
- booting the operating system prior to integrating the first program 2 into the operating system. 3
- The method of claim 3, further comprising: 4. 1
- detecting a device; and 2
- integrating a driver associated with the device into the operating 3 system in response to detecting the device. 4

6

7

8

9

10

11

12

1	5.	The method of claim 1, further comprising:
2		compacting at least a portion of the image on the storage device in
3		response to removing the second program.
1	6.	The method of claim 1, further comprising:
2		loading a third program onto the storage device in response to
3		comparing the first list to the second list; and
4		integrating the third program into the operating system on the
5		storage device.
1	7.	The method of claim 6, further comprising:
2		loading the third program onto the storage device, the third program
3		including a plurality of files, the loading further comprising:
4		copying each of the plurality of files directly into one or more
5		directories on the storage device.
1	8.	A system comprising:
2		a first computer system configured to execute a process; and
3		a storage device coupled to the computer system, the storage device
4		including an image, the image including a first program and a second

program;

the process being executable by the first computer system to:

cause the second program to be removed from the image on the storage device in response to comparing a first list associated with an order to a second list associated with the image; and

the storage device configured to be installed into a second computer system configured to integrate the first program into an operating system on the storage device.

2

3

4

5

The system of claim 8, wherein the image includes the operating system, and wherein the second computer system is configured to cause the operating system to be booted prior to integrating the first program into the operating system.

- The system of claim 9, wherein the operating system is configured to:

 cause a device in the second computer system to be detected; and

 cause a driver associated with the device to be integrated into the operating

 system in response to detecting the device.
- 1 11. The system of claim 8, wherein the process is executable by the first
 computer system to cause at least a portion of the image on the storage
 device to be compacted in response to removing the second program.
 - 12. The system of claim 8, wherein the process is executable by the first computer system to cause a third program to be loaded onto the storage device in response to comparing the first list to the second list, and wherein the second computer system is configured to integrate the third program into the operating system on the storage device.
- 1 13. The system of claim 12, wherein the third program includes a plurality of files, wherein the process is executable by the first computer system to launch a setup program associated with the third program, and wherein the setup program is executable by the first computer system to cause each of the plurality of files to be copied directly into one or more directories on the storage device.

3

4

5

6

7

8

9

10

1

2

3

4

2

3

1	14.	A method	comprising:
ш.	- ·	II III CUITO G	COTTEN TOTAL

invoking a first process configured to cause a first set of files associated with a first program to be copied directly into a first set of directories on a storage device;

invoking a second process configured to cause a second set of files associated with a second program to be copied directly into a second set of directories on the storage device; and

subsequent to invoking the second process, invoking a third process configured to cause the first program to be integrated into an operating system on the storage device.

15. The method of claim 14, further comprising:

subsequent to invoking the third process, invoking a fourth process configured to cause the second program to be integrated into the operating system on the storage device.

1 16. The method of claim 14, further comprising:

invoking a fourth process configured to cause the second program to be removed from the storage device.

- 1 17. The method of claim 14, further comprising:
- detecting a directory structure associated with the storage device prior to invoking the first process.
- 1 18. The method of claim 17, further comprising:
- detecting a language associated with the directory structure.

III Hall Hall Hall Hall Hall

- 19. The method of claim 14, further comprising:
- subsequent to invoking the second process and prior to invoking the 2
- third process, booting the operating system. 3

Abstract of Disclosure

A method that includes receiving a storage device that includes an image is

provided. The image is loaded onto the storage device by a vendor of the storage

device and includes a first program and a second program. The second program is

removed from the image on the storage device in response to comparing an order

list to an image list. The first program is integrated into an operating system on


the storage device.

The first that the first the first that

5


a-102623

19



	٠,
r E	
ĮĮ.	1
the state	
J	44444
and the	11000
Ü	
	1
į.	1
Ħ	
	-
45.14	
Harry Hours	
	-
11.11	-
	7

240		240		240		240	
-		- - -		•		• •	
Application 230c	500	Application 230c	202		204	Application 230d	206
Application 230b	<u>2a</u>	Application 230b	2b	Application 230c	. 2c	Application <u>230c</u>	Fig. 2d
Application 230a	Fig. 2a	Application 230a	Fig. 2b	Application 230a	Fig. 2c	Application 230 <u>a</u>	Fig
Driver 220c		Driver 220c		Driver 220c		Driver 220c	
Driver 220b		Driver 220b		Driver 220b		Driver 220b	
Driver 220a		Driver 220a		Driver 220a		Driver 220a	
Operating System 210		Operating System		Operating System 210		Operating System 210	







Fig. 4



<u>Fig. 5a</u>




Fig. 5b

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As below named inventors, we hereby declare that:

the specification of which: (check one)

Our residence, post office address and citizenship are as stated below next to our names;

We believe we are the original, first and joint inventors of the subject matter which is claimed and for which a patent is sought on the invention entitled

INSTANT INTEGRATION MODEL

XXX is	attached hereto.	
	was filed on under Attorney's Docket Number as Application Serial No and was amended on	 (if applicable).

We hereby state that we have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

We acknowledge the duty to disclose information which is material to the patentability of this application in accordance with 37 CFR 1.56.

We hereby declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 USC 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, we hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

Jeffrey M. Becker	Reg. No. 35,442	Mark P. Kahler	Reg. No. 29,178
James R. Bell	Reg. No. 26,528	Warren B. Kice	Reg. No. 22,732
Michael S Bush	Reg. No. 31,745	Christopher P. Kosh	Reg. No. 42,760
Randall E. Colson	Reg. No. 40,566	Michael J. Balconi-Lamica	Reg. No. 34,291
Michael A. Davis, Jr.	Reg. No. 35,488	Todd Mattingly	Reg. No. 40,298
Ruben C. DeLeon	Reg. No. 37,812	David L. McCombs	Reg. No. 32,271
Anthony Peterman	Reg. No. 38,270	David M. O'Dell	Reg. No. 42,044
Henry Garrana	Reg. No. 27,887	Phillip B. Philbin	Reg. No. 35,979
Timothy Headley	Reg. No. 31,765	Diana L. Roberts	Reg. No. 36,654
Rita M. Irani	Reg. No. 31,028	Brandi W. Sarfatis	Reg. No. 37,713

Send correspondence to <u>David L. McCombs</u>, Haynes and Boone, L.L.P., 901 Main Street, Suite 3100, Dallas, Texas 75202-3789 and direct all telephone calls to David L. McCombs at 214/651-5533.

FULL NAME OF INVENTOR: <u>Douglas G. Macnair</u> , <u>Jr.</u>
INVENTOR'S SIGNATURE: Mac DATED: 9/22/00
RESIDENCE: 16802 Bailey Jean Drive, Round Rock, Texas 78681
CITIZENSHIP: <u>United States of America</u>
POST OFFICE ADDRESS: 16802 Bailey Jean Drive, Round Rock, Texas 78681
FULL NAME OF INVENTOR: Rory K. O'Loughlin
INVENTOR'S SIGNATURE: Koky Longlilon DATED: 9-22-coo
RESIDENCE: 12218 Scribe Drive, Austin, Texas 78759
CITIZENSHIP: Ireland
POST OFFICE ADDRESS: 12218 Scribe Drive, Austin, Texas 78759

FULL NAME OF INVENTOR: Gaston M. Barajas
INVENTOR'S SIGNATURE: ALMIZ DATED: 9-22-00
RESIDENCE: 5700 Republic of Texas, Austin, Texas 78735
CITIZENSHIP: United States of America
POST OFFICE ADDRESS: <u>5700 Republic of Texas</u> , Austin, Texas 78735

A-103494